

Ce site utilise des cookies provenant de Google pour fournir ses services et analyser le trafic. Votre adresse IP et votre user-agent, ainsi que des statistiques relatives aux performances et à la sécurité, sont transmis à Google afin d'assurer un service de qualité, de générer des statistiques d'utilisation, et de détecter et de résoudre les problèmes d'abus.

EN SAVOIR PLUS **OK !**

```
00 0000: 0 (Atom)
```

Share this

About Me



Total Pageviews

Share This

Powered by Blogger.

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of closely related sentences. The text is too blurry and low-contrast to transcribe accurately, but it seems to contain several lines of prose.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a series of closely related sentences. The visible fragments of text are as follows:]

[Illegible text block]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1970s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [12]. In the 1980s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [14]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [15]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [16].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [17]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [18]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [19].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [20]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [21]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [22].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [23]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [24]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [25].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [26]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [27]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [28].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [29]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [30]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from children with shigellosis in the United Kingdom [31].

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[REDACTED]

the first of these is the fact that the system is not a simple one, and that the results are not always as expected.

The second of these is the fact that the system is not a simple one, and that the results are not always as expected.

The third of these is the fact that the system is not a simple one, and that the results are not always as expected.

The fourth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The fifth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The sixth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The seventh of these is the fact that the system is not a simple one, and that the results are not always as expected.

The eighth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The ninth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The tenth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The eleventh of these is the fact that the system is not a simple one, and that the results are not always as expected.

The twelfth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The thirteenth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The fourteenth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The fifteenth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The sixteenth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The seventeenth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The eighteenth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The nineteenth of these is the fact that the system is not a simple one, and that the results are not always as expected.

The twentieth of these is the fact that the system is not a simple one, and that the results are not always as expected.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a series of closely related sentences. The visible fragments of text are as follows:]

[Illegible text block]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a series of closely related sentences. The visible fragments of text are as follows:]

[Illegible text block]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a series of closely related sentences. The visible fragments of text are as follows:]

[Illegible text block]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

the 1990s, the number of people in the UK who are aged 65 and over has increased by 1.5 million (1990–1999) and is projected to increase by a further 1.5 million by 2010 (Office for National Statistics, 2000). The number of people aged 65 and over is projected to increase by 2.5 million by 2020 (Office for National Statistics, 2000).

There is a growing awareness of the need to develop strategies to meet the needs of the ageing population. The Department of Health (1999) has identified the need to develop a 'new paradigm' for the care of the elderly. This paradigm is based on the principle of 'active ageing', which is the process of maintaining and enhancing the functional abilities of older people so that they can live independently and actively in their communities. The Department of Health (1999) has identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people.

The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people. The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people.

The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people. The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people.

The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people. The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people.

The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people. The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people.

The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people. The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people.

The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people. The Department of Health (1999) has also identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting healthy ageing; (2) preventing and managing illness and disability; (3) supporting independence and participation in the community; and (4) providing a range of services to meet the needs of older people.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of closely related sentences. The text is too blurry and low-contrast to transcribe accurately, but it seems to contain several lines of prose.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or redacted document. It contains no legible words or phrases.]

[REDACTED]

100

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It contains numerous lines of text, many of which are illegible due to the quality of the scan. The text appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a formal document or report. The text is too blurry to transcribe accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

