

Ce site utilise des cookies provenant de Google pour fournir ses services et analyser le trafic. Votre adresse IP et votre user-agent, ainsi que des statistiques relatives aux performances et à la sécurité, sont transmis à Google afin d'assurer un service de qualité, de générer des statistiques d'utilisation, et de détecter et de résoudre les problèmes d'abus.

EN SAVOIR PLUS **OK !**

```
00 0000: 0 (Atom)
```

Share this

About Me



Total Pageviews

Share This

Powered by Blogger.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of closely related sentences. The text is too blurry and low-contrast to transcribe accurately, but it seems to contain several lines of prose.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a series of closely related sentences. The visible fragments of text are as follows:]

[Illegible text block]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a series of closely related sentences. The visible fragments of text are as follows:]

[Illegible text block]

the 1990s, the number of people in the UK who are employed in the public sector has increased by 1.5 million, from 2.5 million in 1980 to 4 million in 1999. The public sector has become a major employer in the UK, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

the 1990s, the number of people in the UK who are aged 65 and over has increased by 1.5 million, and the number of people aged 75 and over has increased by 1.2 million (Office for National Statistics 2000). The number of people aged 65 and over is projected to increase to 10.5 million by 2026, and the number of people aged 75 and over to 6.5 million (Office for National Statistics 2000).

There is a growing awareness of the need to develop strategies to meet the needs of the ageing population. The Department of Health (1999) has identified the need to develop a 'new paradigm' for the care of the elderly, which is based on the principles of 'active ageing' and 'positive ageing'. The 'new paradigm' is based on the principles of 'active ageing' and 'positive ageing', which are defined as follows:

Active ageing is the process of optimising opportunities for health, participation and security in old age.

Positive ageing is the process of achieving a state of well-being in old age, which is based on the principles of 'active ageing' and 'positive ageing'.

The 'new paradigm' is based on the principles of 'active ageing' and 'positive ageing', which are defined as follows:

Active ageing is the process of optimising opportunities for health, participation and security in old age.

Positive ageing is the process of achieving a state of well-being in old age, which is based on the principles of 'active ageing' and 'positive ageing'.

The 'new paradigm' is based on the principles of 'active ageing' and 'positive ageing', which are defined as follows:

Active ageing is the process of optimising opportunities for health, participation and security in old age.

Positive ageing is the process of achieving a state of well-being in old age, which is based on the principles of 'active ageing' and 'positive ageing'.

The 'new paradigm' is based on the principles of 'active ageing' and 'positive ageing', which are defined as follows:

Active ageing is the process of optimising opportunities for health, participation and security in old age.

Positive ageing is the process of achieving a state of well-being in old age, which is based on the principles of 'active ageing' and 'positive ageing'.

The 'new paradigm' is based on the principles of 'active ageing' and 'positive ageing', which are defined as follows:

Active ageing is the process of optimising opportunities for health, participation and security in old age.

Positive ageing is the process of achieving a state of well-being in old age, which is based on the principles of 'active ageing' and 'positive ageing'.

The 'new paradigm' is based on the principles of 'active ageing' and 'positive ageing', which are defined as follows:

Active ageing is the process of optimising opportunities for health, participation and security in old age.

Positive ageing is the process of achieving a state of well-being in old age, which is based on the principles of 'active ageing' and 'positive ageing'.

the 1990s, the number of people in the United States who are obese has increased by 50% (Flegal et al. 2002). In the United Kingdom, the prevalence of obesity has increased from 10% in 1980 to 15% in 1997 (Health Survey for England 1997). In the United States, the prevalence of obesity has increased from 15% in 1980 to 23% in 1994 (Flegal et al. 2002).

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a major public health problem because it is a risk factor for a number of chronic diseases, including heart disease, stroke, type 2 diabetes, and certain types of cancer. Obesity is also a leading cause of disability and premature death. In the United States, obesity is the leading cause of death among children and adolescents (Flegal et al. 2002).

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1970s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [12]. In the 1980s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [14]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [15]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [16].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [17]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [18]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [19].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [20]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [21]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [22].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [23]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [24]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [25].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [26]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [27]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [28].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [29]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [30]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [31].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [32]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [33]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [34].

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

the 1990s, the number of people in the world who are under 15 years of age has increased by 1.2 billion, from 1.1 billion in 1980 to 2.3 billion in 1999. The number of people aged 15 years and over has increased by 1.1 billion, from 1.1 billion in 1980 to 2.2 billion in 1999.

There are a number of reasons why the world population is growing so rapidly. One of the main reasons is that the number of children born to each woman has increased. In 1980, the average woman in the world had 2.5 children. In 1999, the average woman in the world had 2.7 children. This is a small increase, but it is enough to make a difference over time.

Another reason why the world population is growing so rapidly is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 60 years. In 1999, the average person in the world lived for 65 years. This is a small increase, but it is enough to make a difference over time.

There are a number of other reasons why the world population is growing so rapidly. One of the main reasons is that the number of people who are moving from rural areas to urban areas has increased. In 1980, there were 1.1 billion people in the world who were living in urban areas. In 1999, there were 2.2 billion people in the world who were living in urban areas.

Another reason why the world population is growing so rapidly is that the number of people who are moving from developing countries to developed countries has increased. In 1980, there were 1.1 billion people in the world who were living in developed countries. In 1999, there were 2.2 billion people in the world who were living in developed countries.

There are a number of other reasons why the world population is growing so rapidly. One of the main reasons is that the number of people who are moving from the developing world to the developed world has increased. In 1980, there were 1.1 billion people in the world who were living in the developed world. In 1999, there were 2.2 billion people in the world who were living in the developed world.

Another reason why the world population is growing so rapidly is that the number of people who are moving from the developed world to the developing world has increased. In 1980, there were 1.1 billion people in the world who were living in the developing world. In 1999, there were 2.2 billion people in the world who were living in the developing world.

There are a number of other reasons why the world population is growing so rapidly. One of the main reasons is that the number of people who are moving from the developed world to the developing world has increased. In 1980, there were 1.1 billion people in the world who were living in the developed world. In 1999, there were 2.2 billion people in the world who were living in the developed world.

Another reason why the world population is growing so rapidly is that the number of people who are moving from the developing world to the developed world has increased. In 1980, there were 1.1 billion people in the world who were living in the developing world. In 1999, there were 2.2 billion people in the world who were living in the developing world.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of closely related sentences. The text is too blurry and low-contrast to transcribe accurately, but it seems to contain several lines of prose.]

[Illegible text block]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported as the most common serotype in children with acute bacterial dysentery [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1980s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [12]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13].

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

