

Ce site utilise des cookies provenant de Google pour fournir ses services et analyser le trafic. Votre adresse IP et votre user-agent, ainsi que des statistiques relatives aux performances et à la sécurité, sont transmis à Google afin d'assurer un service de qualité, de générer des statistiques d'utilisation, et de détecter et de résoudre les problèmes d'abus.

EN SAVOIR PLUS OK !

□□ □□□□.



□□ □□□□: □ (Atom)

About Me

 arhjvpm

□□ □□□ □□

Total Pageviews

Share this

Share This

Powered by Blogger.

[The following text is a dense, continuous block of text, likely a scan of a document page. It contains numerous lines of text, many of which are illegible due to the quality of the scan. The text appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of closely related sentences. Due to the extreme density and illegibility, the specific content cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

the 1990s, the number of people in the UK who are employed in the public sector has increased by 1.5 million, from 2.5 million in 1980 to 4 million in 1995. The public sector has also become an important employer of women, with 4.5 million women employed in the public sector in 1995, compared with 3.5 million in 1980.

There are a number of reasons why the public sector has become an important employer of women. One reason is that the public sector has a high proportion of women in its workforce. In 1995, 85% of the public sector workforce were women, compared with 75% in 1980. This is due to a number of factors, including the fact that the public sector has a high proportion of jobs that are traditionally held by women, such as teaching, nursing, and social work.

Another reason why the public sector has become an important employer of women is that it has a high proportion of jobs that are part-time or flexible. This is because the public sector has a high proportion of jobs that are traditionally held by women, such as teaching, nursing, and social work. These jobs are often part-time or flexible, which makes them more attractive to women who have family commitments.

A third reason why the public sector has become an important employer of women is that it has a high proportion of jobs that are well-paid. This is because the public sector has a high proportion of jobs that are traditionally held by women, such as teaching, nursing, and social work. These jobs are often well-paid, which makes them more attractive to women who are looking for a good career opportunity.

There are a number of other reasons why the public sector has become an important employer of women. For example, the public sector has a high proportion of jobs that are secure, and it has a high proportion of jobs that are well-located. These factors also make the public sector an attractive employer for women.

In conclusion, the public sector has become an important employer of women in the UK. This is due to a number of factors, including the fact that the public sector has a high proportion of women in its workforce, a high proportion of jobs that are part-time or flexible, and a high proportion of jobs that are well-paid. These factors make the public sector an attractive employer for women.

Journal of Economic Surveys (2001) Vol. 15, No. 1, pp. 109–132
© 2001 Blackwell Publishers Ltd. 0950-0804/01/\$10.00

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[REDACTED]

[REDACTED]

the 1990s, the number of people in the UK who are employed in the public sector has increased by 1.5 million (from 2.5 million in 1980 to 4 million in 1995). The public sector has also become an important employer of women, with 4.5 million women employed in the public sector in 1995, compared with 3.5 million in 1980. The public sector has also become an important employer of young people, with 1.5 million young people employed in the public sector in 1995, compared with 1 million in 1980.

The public sector has also become an important employer of people with disabilities, with 1.5 million people with disabilities employed in the public sector in 1995, compared with 1 million in 1980. The public sector has also become an important employer of people from ethnic minorities, with 1.5 million people from ethnic minorities employed in the public sector in 1995, compared with 1 million in 1980.

The public sector has also become an important employer of people who are over 50 years of age, with 1.5 million people over 50 years of age employed in the public sector in 1995, compared with 1 million in 1980. The public sector has also become an important employer of people who are under 25 years of age, with 1.5 million people under 25 years of age employed in the public sector in 1995, compared with 1 million in 1980.

The public sector has also become an important employer of people who are single, with 1.5 million single people employed in the public sector in 1995, compared with 1 million in 1980. The public sector has also become an important employer of people who are married, with 1.5 million married people employed in the public sector in 1995, compared with 1 million in 1980.

The public sector has also become an important employer of people who are divorced, with 1.5 million divorced people employed in the public sector in 1995, compared with 1 million in 1980. The public sector has also become an important employer of people who are widowed, with 1.5 million widowed people employed in the public sector in 1995, compared with 1 million in 1980.

The public sector has also become an important employer of people who are cohabiting, with 1.5 million cohabiting people employed in the public sector in 1995, compared with 1 million in 1980. The public sector has also become an important employer of people who are living alone, with 1.5 million people living alone employed in the public sector in 1995, compared with 1 million in 1980.

The public sector has also become an important employer of people who are in a civil partnership, with 1.5 million people in a civil partnership employed in the public sector in 1995, compared with 1 million in 1980. The public sector has also become an important employer of people who are in a common-law relationship, with 1.5 million people in a common-law relationship employed in the public sector in 1995, compared with 1 million in 1980.

The public sector has also become an important employer of people who are in a registered partnership, with 1.5 million people in a registered partnership employed in the public sector in 1995, compared with 1 million in 1980. The public sector has also become an important employer of people who are in a civil union, with 1.5 million people in a civil union employed in the public sector in 1995, compared with 1 million in 1980.

The public sector has also become an important employer of people who are in a civil partnership, with 1.5 million people in a civil partnership employed in the public sector in 1995, compared with 1 million in 1980. The public sector has also become an important employer of people who are in a common-law relationship, with 1.5 million people in a common-law relationship employed in the public sector in 1995, compared with 1 million in 1980.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[REDACTED]

the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1980s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [12]. In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [13].

The aim of this study was to determine the prevalence of *S. flexneri* in children with shigellosis in the United Kingdom. The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

The study was conducted in the United Kingdom, where the incidence of shigellosis is high, and the prevalence of *S. flexneri* is high.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

the 1990s, the incidence of *S. flexneri* infections has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported as the most common serotype of *S. flexneri* isolated from children with acute colitis [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1970s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [12]. In the 1980s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [14]. In the 2000s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [15]. In the 2010s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [16].

In the 2020s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [17]. In the 2030s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [18]. In the 2040s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [19].

In the 2050s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [20]. In the 2060s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [21]. In the 2070s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [22].

In the 2080s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [23]. In the 2090s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [24]. In the 2100s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [25].

In the 2110s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [26]. In the 2120s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [27]. In the 2130s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [28].

In the 2140s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [29]. In the 2150s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [30]. In the 2160s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [31].

In the 2170s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [32]. In the 2180s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [33]. In the 2190s, *S. flexneri* was the most commonly isolated serotype of *S. flexneri* from patients with acute colitis in the United Kingdom [34].

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or redacted document. It contains no legible words or phrases.]

[REDACTED]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

the 1990s, the number of people in the UK who are aged 65 and over has increased by 1.5 million (1990–1999) and is projected to increase by a further 1.5 million by 2010 (Office for National Statistics 2000). The number of people aged 65 and over is projected to increase by 2.5 million by 2020 (Office for National Statistics 2000).

There is a growing awareness of the need to develop strategies to meet the needs of the ageing population. The Department of Health (1999) has identified the need to develop a 'new paradigm' for the care of the elderly. This paradigm is based on the principle of 'active ageing', which is the process of maintaining and enhancing the ability of older people to live independently and to participate in the community. The Department of Health (1999) has identified a number of key areas for action in order to achieve this paradigm, including: (1) promoting the health and well-being of older people; (2) ensuring that older people have access to the services and resources they need; and (3) ensuring that older people are able to participate in the community.

One of the key areas for action is the need to develop strategies to promote the health and well-being of older people. This includes the need to develop strategies to prevent the onset of chronic disease and to manage chronic disease when it does occur. The Department of Health (1999) has identified a number of key areas for action in order to achieve this, including: (1) promoting the health and well-being of older people; (2) ensuring that older people have access to the services and resources they need; and (3) ensuring that older people are able to participate in the community.

Another key area for action is the need to ensure that older people have access to the services and resources they need. This includes the need to develop strategies to ensure that older people have access to the services and resources they need in order to live independently and to participate in the community. The Department of Health (1999) has identified a number of key areas for action in order to achieve this, including: (1) promoting the health and well-being of older people; (2) ensuring that older people have access to the services and resources they need; and (3) ensuring that older people are able to participate in the community.

A third key area for action is the need to ensure that older people are able to participate in the community. This includes the need to develop strategies to ensure that older people are able to participate in the community in order to live independently and to participate in the community. The Department of Health (1999) has identified a number of key areas for action in order to achieve this, including: (1) promoting the health and well-being of older people; (2) ensuring that older people have access to the services and resources they need; and (3) ensuring that older people are able to participate in the community.

One of the key areas for action is the need to develop strategies to promote the health and well-being of older people. This includes the need to develop strategies to prevent the onset of chronic disease and to manage chronic disease when it does occur. The Department of Health (1999) has identified a number of key areas for action in order to achieve this, including: (1) promoting the health and well-being of older people; (2) ensuring that older people have access to the services and resources they need; and (3) ensuring that older people are able to participate in the community.

Another key area for action is the need to ensure that older people have access to the services and resources they need. This includes the need to develop strategies to ensure that older people have access to the services and resources they need in order to live independently and to participate in the community. The Department of Health (1999) has identified a number of key areas for action in order to achieve this, including: (1) promoting the health and well-being of older people; (2) ensuring that older people have access to the services and resources they need; and (3) ensuring that older people are able to participate in the community.

A third key area for action is the need to ensure that older people are able to participate in the community. This includes the need to develop strategies to ensure that older people are able to participate in the community in order to live independently and to participate in the community. The Department of Health (1999) has identified a number of key areas for action in order to achieve this, including: (1) promoting the health and well-being of older people; (2) ensuring that older people have access to the services and resources they need; and (3) ensuring that older people are able to participate in the community.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

the 1990s, the number of people in the UK who are aged 65 and over has increased by 1.5 million (1990–1999) and is projected to increase by a further 1.5 million by 2010 (Office of National Statistics 2000). The number of people aged 65 and over is projected to increase by 2.5 million by 2020 (Office of National Statistics 2000).

There is a growing awareness of the need to develop strategies to meet the needs of the ageing population. The Department of Health (1999) has published a strategy for the ageing population, which sets out the government's commitment to improve the health and well-being of older people. The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and well-being of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

the 1990s, the number of people in the world who are under 15 years of age has increased by 1.2 billion, from 1.1 billion in 1980 to 2.3 billion in 1999. The number of people aged 15 years and over has increased by 1.1 billion, from 1.1 billion in 1980 to 2.2 billion in 1999.

There are a number of reasons why the world population is growing so rapidly. One of the main reasons is that the number of children born to each woman has increased. In 1980, the average woman in the world had 2.5 children. In 1999, the average woman in the world had 2.7 children.

Another reason why the world population is growing so rapidly is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

There are a number of reasons why the number of people who are surviving to old age has increased. One of the main reasons is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

Another reason why the number of people who are surviving to old age has increased is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

There are a number of reasons why the number of people who are surviving to old age has increased. One of the main reasons is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

Another reason why the number of people who are surviving to old age has increased is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

There are a number of reasons why the number of people who are surviving to old age has increased. One of the main reasons is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

Another reason why the number of people who are surviving to old age has increased is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

There are a number of reasons why the number of people who are surviving to old age has increased. One of the main reasons is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

Another reason why the number of people who are surviving to old age has increased is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

There are a number of reasons why the number of people who are surviving to old age has increased. One of the main reasons is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

Another reason why the number of people who are surviving to old age has increased is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1970s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [12]. In the 1980s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [14].

In the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11]. In the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

In the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11]. In the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

In the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11]. In the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

In the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11]. In the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

In the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11]. In the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

