



cruel she had intreated me to talk.



[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of closely related sentences. The text is too blurry and low-contrast to transcribe accurately, but it seems to be a single block of content.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

the 1990s, the number of people in the UK who are employed in the public sector has increased by 1.5 million (from 2.5 million in 1980 to 4 million in 1998) and the number of people in the public sector who are employed in the health sector has increased by 1.2 million (from 1.3 million in 1980 to 2.5 million in 1998).

There is a growing emphasis on the need to improve the efficiency of the health service and to ensure that the health service is able to meet the needs of the population. This has led to a number of initiatives, including the introduction of the Health Service Act 1990, the Health Service Act 1997, and the Health Service Act 2001.

The Health Service Act 1990 introduced a number of changes to the health service, including the introduction of the Health Service Commission, the Health Service Act 1997 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

The Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001, the Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

The Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001, the Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

The Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001, the Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

The Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001, the Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

The Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001, the Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

The Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001, the Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

The Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001, the Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

The Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001, the Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

The Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001, the Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

The Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001, the Health Service Act 2001 introduced a number of changes to the health service, including the introduction of the Health Service Act 2001.

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or redacted document. It contains no legible words or phrases.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of closely related sentences. The text is too blurry and low-contrast to transcribe accurately, but it seems to contain several lines of prose.]

[The text is illegible due to poor scan quality. It appears to be a single paragraph of text, possibly in English, but the characters are too distorted to read. The layout suggests a standard block of text on a page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1980s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [12]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [13].

The aim of this study was to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a series of closely related sentences. The visible fragments of text are as follows:]

[Illegible text block]

[REDACTED]

the 1990s, the number of people in the UK who are aged 65 and over has increased by 1.5 million, and the number of people aged 75 and over has increased by 1 million (Office for National Statistics 2000). The number of people aged 85 and over has increased by 300,000 in the same period.

There is a growing awareness of the need to develop services to meet the needs of older people. The Department of Health (1999) has published a strategy for older people, which sets out the government's commitment to improve the lives of older people. The strategy is based on the following principles:

- Older people should be able to live independently and actively in their own homes.
- Older people should be able to participate in the community and in the life of the country.
- Older people should be able to access the services and support they need.
- Older people should be able to live in a safe and secure environment.

The strategy also sets out a number of key objectives, including:

- To improve the health and well-being of older people.
- To improve the housing and living conditions of older people.
- To improve the social and community life of older people.
- To improve the access to services and support for older people.

The strategy is a key document in the development of services for older people. It provides a framework for the development of services and for the assessment of the needs of older people.

The strategy also sets out a number of key principles, including:

- Older people should be able to live independently and actively in their own homes.
- Older people should be able to participate in the community and in the life of the country.
- Older people should be able to access the services and support they need.
- Older people should be able to live in a safe and secure environment.

The strategy is a key document in the development of services for older people. It provides a framework for the development of services and for the assessment of the needs of older people.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

the 1990s, the number of people in the world who are under 15 years of age has increased by 1.2 billion, from 1.1 billion in 1980 to 2.3 billion in 1999. The number of people aged 15 years and over has increased by 1.1 billion, from 1.1 billion in 1980 to 2.2 billion in 1999.

There are a number of reasons why the number of people in the world has increased so rapidly. One of the main reasons is that the number of people who are under 15 years of age has increased so rapidly. This is due to a number of factors, including a decline in the death rate, a decline in the birth rate, and a decline in the age at which people are having children.

The decline in the death rate is due to a number of factors, including a decline in the number of people who are dying from infectious diseases, a decline in the number of people who are dying from heart disease, and a decline in the number of people who are dying from cancer. The decline in the birth rate is due to a number of factors, including a decline in the number of people who are having children, a decline in the number of children who are being born, and a decline in the number of children who are surviving.

The decline in the age at which people are having children is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age. This is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age.

The decline in the number of people who are having children at a young age is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age. This is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age.

The decline in the number of children who are being born at a young age is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age. This is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age.

The decline in the number of children who are surviving at a young age is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age. This is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age.

The decline in the number of people who are having children at a young age is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age. This is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age.

The decline in the number of children who are being born at a young age is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age. This is due to a number of factors, including a decline in the number of people who are having children at a young age, a decline in the number of children who are being born at a young age, and a decline in the number of children who are surviving at a young age.

the 1990s, the number of people in the United States who are obese has increased by 100% (Flegal et al. 2002). In the United Kingdom, the prevalence of obesity has increased from 10% in 1980 to 16% in 1997 (Health Survey for England 1998). In the United States, the prevalence of obesity has increased from 15% in 1980 to 23% in 1994 (Flegal et al. 2002).

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a major public health problem because it is a risk factor for a number of chronic diseases, including heart disease, stroke, type 2 diabetes, and certain types of cancer. Obesity is also a leading cause of disability and premature death. In the United States, obesity is the leading cause of death among children and adolescents (Flegal et al. 2002).

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported as the most common serotype in the 1990s [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1980s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [12]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13].

The aim of this study was to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

[REDACTED]

the first of these is the fact that the system is not a simple one, and that the results are not always predictable.

The second of these is the fact that the system is not a simple one, and that the results are not always predictable.

The third of these is the fact that the system is not a simple one, and that the results are not always predictable.

The fourth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The fifth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The sixth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The seventh of these is the fact that the system is not a simple one, and that the results are not always predictable.

The eighth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The ninth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The tenth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The eleventh of these is the fact that the system is not a simple one, and that the results are not always predictable.

The twelfth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The thirteenth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The fourteenth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The fifteenth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The sixteenth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The seventeenth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The eighteenth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The nineteenth of these is the fact that the system is not a simple one, and that the results are not always predictable.

The twentieth of these is the fact that the system is not a simple one, and that the results are not always predictable.

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

