

Ce site utilise des cookies provenant de Google pour fournir ses services et analyser le trafic. Votre adresse IP et votre user-agent, ainsi que des statistiques relatives aux performances et à la sécurité, sont transmis à Google afin d'assurer un service de qualité, de générer des statistiques d'utilisation, et de détecter et de résoudre les problèmes d'abus.

EN SAVOIR PLUS **OK !**

```
00 0000: 0 (Atom)
```

Share this

About Me



Total Pageviews

Share This

Powered by Blogger.

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a section of a larger document, but the specific content cannot be accurately transcribed.]

the 1990s, the number of people in the UK who are aged 65 and over has increased by 1.5 million, and the number of people aged 75 and over by 1.2 million (Office of National Statistics 1999). The number of people aged 85 and over is projected to increase by 1.5 million by the year 2020 (Office of National Statistics 1999).

There is a growing awareness of the need to develop services to meet the needs of the ageing population. The Department of Health (1999) has published a strategy for the care of the elderly, which sets out a vision for the future of elderly care. The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them.

The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them. The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them.

The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them. The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them.

The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them. The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them.

The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them. The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them.

The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them. The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them.

The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them. The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them.

The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them. The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them.

The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them. The strategy is based on the principle of 'care close to home', and aims to ensure that people are able to live in their own homes for as long as possible. The strategy also aims to ensure that people are able to access the services they need when they need them.

the 1990s, the number of people in the world who are under 15 years of age has increased by 1.2 billion, from 1.1 billion in 1980 to 2.3 billion in 1999. The number of people aged 15 years and over has increased by 1.1 billion, from 1.1 billion in 1980 to 2.2 billion in 1999.

There are a number of reasons why the world population is growing so rapidly. One of the main reasons is that the number of children born to each woman has increased. In 1980, the average woman in the world had 2.5 children. In 1999, the average woman in the world had 2.7 children.

Another reason why the world population is growing so rapidly is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

There are a number of reasons why the number of people who are surviving to old age has increased. One of the main reasons is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

Another reason why the number of people who are surviving to old age has increased is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

There are a number of reasons why the number of people who are surviving to old age has increased. One of the main reasons is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

Another reason why the number of people who are surviving to old age has increased is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

There are a number of reasons why the number of people who are surviving to old age has increased. One of the main reasons is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

Another reason why the number of people who are surviving to old age has increased is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

There are a number of reasons why the number of people who are surviving to old age has increased. One of the main reasons is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

Another reason why the number of people who are surviving to old age has increased is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

There are a number of reasons why the number of people who are surviving to old age has increased. One of the main reasons is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

Another reason why the number of people who are surviving to old age has increased is that the number of people who are surviving to old age has increased. In 1980, the average person in the world lived for 55 years. In 1999, the average person in the world lived for 65 years.

the 1990s, the number of people in the UK who are employed in the public sector has increased by 1.5 million, from 2.5 million in 1980 to 4 million in 1995. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a major factor in the overall growth of the economy.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low resolution. The text appears to be a single paragraph or a section of a larger document, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or redacted document. It contains no legible words or phrases.]

the 1990s, the number of people in the UK who are aged 65 and over has increased by 1.5 million, and the number of people aged 75 and over has increased by 1 million (Office for National Statistics 2000). The number of people aged 65 and over is projected to increase to 6.5 million by 2020, and the number of people aged 75 and over to 3.5 million (Office for National Statistics 2000).

There is a growing awareness of the need to address the needs of older people in the UK. The Department of Health (2000) has published a strategy for older people, which sets out the government's commitment to improve the health and social care of older people. The strategy is based on the following principles:

- Older people should be able to live independently and actively in their own homes for as long as possible.
- Older people should be able to access the services and support they need to live well.
- Older people should be able to participate in decisions about their care and support.
- Older people should be able to live in a safe and secure environment.
- Older people should be able to access the services and support they need to live well.

The strategy is based on the following principles: older people should be able to live independently and actively in their own homes for as long as possible; older people should be able to access the services and support they need to live well; older people should be able to participate in decisions about their care and support; older people should be able to live in a safe and secure environment; older people should be able to access the services and support they need to live well.

The strategy is based on the following principles: older people should be able to live independently and actively in their own homes for as long as possible; older people should be able to access the services and support they need to live well; older people should be able to participate in decisions about their care and support; older people should be able to live in a safe and secure environment; older people should be able to access the services and support they need to live well.

The strategy is based on the following principles: older people should be able to live independently and actively in their own homes for as long as possible; older people should be able to access the services and support they need to live well; older people should be able to participate in decisions about their care and support; older people should be able to live in a safe and secure environment; older people should be able to access the services and support they need to live well.

The strategy is based on the following principles: older people should be able to live independently and actively in their own homes for as long as possible; older people should be able to access the services and support they need to live well; older people should be able to participate in decisions about their care and support; older people should be able to live in a safe and secure environment; older people should be able to access the services and support they need to live well.

The strategy is based on the following principles: older people should be able to live independently and actively in their own homes for as long as possible; older people should be able to access the services and support they need to live well; older people should be able to participate in decisions about their care and support; older people should be able to live in a safe and secure environment; older people should be able to access the services and support they need to live well.

The strategy is based on the following principles: older people should be able to live independently and actively in their own homes for as long as possible; older people should be able to access the services and support they need to live well; older people should be able to participate in decisions about their care and support; older people should be able to live in a safe and secure environment; older people should be able to access the services and support they need to live well.

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

the 1990s, the incidence of *S. flexneri* infections has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported as the most common serotype of *Shigella* isolated from children with shigellosis [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1980s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [12]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [14]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [15].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [16]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [17]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [18]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [19].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [20]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [21]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [22]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [23].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [24]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [25]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [26]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [27].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [28]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [29]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [30]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [31].

In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [32]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [33]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [34]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [35].

the 1990s, the incidence of *S. flexneri* infections in the United Kingdom has increased, and the incidence of *S. flexneri* infection in the United States has increased in the 1980s and 1990s [1, 2].

There is a paucity of data on the incidence of *S. flexneri* infection in the United Kingdom. In the 1980s, *S. flexneri* was the most commonly isolated serotype of *Shigella* from patients with shigellosis in the United Kingdom [3]. In the 1990s, *S. flexneri* was the most commonly isolated serotype of *Shigella* from patients with shigellosis in the United Kingdom [4].

The purpose of this study was to determine the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

The study was conducted in the United Kingdom, where the incidence of *S. flexneri* infection is high, and the incidence of *S. flexneri* infection is high in the United Kingdom.

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a series of closely related sentences. The visible fragments of text are as follows:]

[Illegible text block]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

