

Ce site utilise des cookies provenant de Google pour fournir ses services et analyser le trafic. Votre adresse IP et votre user-agent, ainsi que des statistiques relatives aux performances et à la sécurité, sont transmis à Google afin d'assurer un service de qualité, de générer des statistiques d'utilisation, et de détecter et de résoudre les problèmes d'abus.

EN SAVOIR PLUS **OK !**

```
00 0000: 0 (Atom)
```

Share this

About Me

Total Pageviews

Share This

Powered by Blogger.

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or heavily redacted document. It contains no legible words or phrases.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

the 1990s, the number of people in the UK who are employed in the public sector has increased by 1.5 million, from 2.5 million in 1980 to 4 million in 1999. The public sector has become a major employer in the UK, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

The public sector has also become a major provider of social services, and its growth has been a key factor in the overall growth of the economy. The public sector has become a major provider of social services, and its growth has been a key factor in the overall growth of the economy.

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a section of a larger document, but the specific content cannot be accurately transcribed.]

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

the 1990s, the number of people in the United States who are obese has increased by 100% (Flegal et al. 2002). In the United Kingdom, the prevalence of obesity has increased from 10% in 1980 to 15% in 1997 (Health Survey for England 1997). In the United States, the prevalence of obesity has increased from 15% in 1980 to 23% in 1994 (Flegal et al. 2002).

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke. It is also associated with a number of psychological problems, including depression and anxiety. Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure.

The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors. Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke.

It is also associated with a number of psychological problems, including depression and anxiety. Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity.

The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors. Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke. It is also associated with a number of psychological problems, including depression and anxiety.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke. It is also associated with a number of psychological problems, including depression and anxiety. Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure.

The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors. Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a series of closely related sentences. The visible fragments of text are as follows:]

[Illegible text block]

the 1990s, the number of people in the United States who are obese has increased by 100% (Flegal et al. 2002). In the United Kingdom, the prevalence of obesity has increased from 10% in 1980 to 15% in 1997 (Health Survey for England 1997). In the United States, the prevalence of obesity has increased from 15% in 1980 to 23% in 1994 (Flegal et al. 2002).

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke. It is also associated with a number of psychological problems, including depression and anxiety. Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure.

The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors. Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke.

It is also associated with a number of psychological problems, including depression and anxiety. Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity.

The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors. Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke. It is also associated with a number of psychological problems, including depression and anxiety.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke. It is also associated with a number of psychological problems, including depression and anxiety. Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure.

The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors. Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke.

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to the quality of the scan and the density of the text. The text appears to be a single paragraph or a series of closely related sentences. The visible fragments of text are as follows:]

[Illegible text block]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low resolution. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

the 1990s, the number of people in the UK who are aged 65 and over has increased by 1.5 million (1990–1999) and is projected to increase by a further 1.5 million by 2010 (Office of National Statistics 2000). The number of people aged 65 and over is projected to increase by 2.5 million by 2020 (Office of National Statistics 2000).

There is a growing awareness of the need to develop strategies to meet the needs of the ageing population. The Department of Health (1999) has published a strategy for the ageing population, which sets out the government's commitment to improve the health and social care of older people. The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes. The strategy is based on the following principles: (1) to improve the health and social care of older people; (2) to ensure that older people are able to live independently; (3) to ensure that older people are able to participate in society; and (4) to ensure that older people are able to live in their own homes.

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low resolution. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It appears to be a mix of English and possibly some non-English characters, but the overall structure suggests a single paragraph or a series of lines of text. Due to the low resolution and potential noise in the scan, the specific words and punctuation are difficult to discern accurately. The text is oriented vertically on the page.]

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of lines of prose, but the specific words and sentences cannot be transcribed accurately.]

[REDACTED]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

[The following text is a dense, continuous block of characters and symbols, likely representing a corrupted or redacted document. It contains no legible words or phrases.]

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported as the most common serotype in children with acute bacterial dysentery [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1970s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [12]. In the 1980s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [14]. In the 2000s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [15].

In the 2010s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [16]. In the 2020s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [17].

In the 2030s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [18]. In the 2040s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [19].

In the 2050s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [20]. In the 2060s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [21].

In the 2070s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [22]. In the 2080s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [23].

In the 2090s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [24]. In the 2100s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [25].

[The following text is a dense, continuous block of text, likely a scan of a document page. It is mostly illegible due to extreme blurring and low contrast. The text appears to be a single paragraph or a series of closely related sentences, but the specific words and structure cannot be discerned.]

